


**Listing of Claims:**

The following list of claims will replace all prior versions and listings of claims in the application.

1-6. (Canceled)

7. (Currently Amended) A method of controlling fungi and/or bacteria comprising administering a composition comprising:



or a solvate thereof and


wherein the NR<sub>1</sub>R<sub>2</sub> and NR<sub>3</sub>R<sub>4</sub> moieties are in the ortho, meta or para positions;

wherein X<sup>-</sup> is an anionic salt;

wherein R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub>, or R<sub>4</sub> are independently selected from the group consisting of methyl, ethyl, C<sub>1-10</sub> alkyl (linear or branched), alkenes (linear or branched), or wherein R<sub>1</sub> and R<sub>2</sub> or R<sub>3</sub> and R<sub>4</sub> taken together with the nitrogen atom to which they are attached form pyrrolidino or piperidino rings; and

~~The method according to claim 1, wherein R<sub>5</sub> is an ultraviolet blocker, ultraviolet absorber or surfactant.~~

8. (Original) A method for treating agricultural fungal and/or bacterial infections comprising administering an effective amount a composition comprising:



or a solvate thereof and

wherein the NR<sub>1</sub>R<sub>2</sub> and NR<sub>3</sub>R<sub>4</sub> moieties are in the ortho, meta or para position;

wherein X<sup>-</sup> is an anionic salt;

wherein R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub>, or R<sub>4</sub> are independently selected from the group consisting of methyl, ethyl, C<sub>1-10</sub> alkyl (linear or branched), alkenes (linear or branched), or wherein R<sub>1</sub> and R<sub>2</sub> or R<sub>3</sub> and R<sub>4</sub> taken together with the nitrogen atom to which they are attached form pyrrolidino or piperidino rings; and

wherein R<sub>5</sub> is selected from the group consisting of methyl, ethyl, C<sub>1-10</sub> alkyl (linear or branched), alkenes (linear or branched), alkynes, n-propyl, i-propyl, n-butyl, i-butyl, substituted and unsubstituted aryl moieties and substituted and unsubstituted benzyl moieties.

9. (Original) The method according to claim 8, further comprising administering a fungicide and/or bacteriocide.

10. (Original) The method according to claim 8, further comprising administering an insecticide.

11. (Original) The method according to claim 8, wherein said composition is administered before fungal growth occurs.

12. (Original) The method according to claim 8, wherein said composition is administered after fungal growth occurs.

13. (Original) The method according to claim 8, further comprising administering

organotin, organosilicon, or organogermanium.


14. (Original) The method according to claim 8, wherein said method of controlling fungi and/or bacteria further comprises binding and containing the fungi and/or bacteria in the same area.

15. (Original) The method according to claim 8, wherein said treating step is performed on a seed.

16. (Original) The method according to claim 8, wherein said treating step is performed on a plant.

17. (Original) The method according to claim 8, wherein said treating step is performed on a field used for growing crops.

18. (Original) A method of protecting a plant from fungal infection comprising contacting a plant during a stage of the growth of said plant with a compound comprising:



or a solvate thereof and

wherein the NR<sub>1</sub>R<sub>2</sub> and NR<sub>3</sub>R<sub>4</sub> moieties are in the ortho, meta or para position;

wherein X<sup>-</sup> is an anionic salt;

wherein R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub>, or R<sub>4</sub> are independently selected from the group consisting of methyl, ethyl, C<sub>1-10</sub> alkyl (linear or branched), alkenes (linear or branched), or wherein R<sub>1</sub> and R<sub>2</sub> or R<sub>3</sub> and R<sub>4</sub> taken together with the nitrogen atom to which they are attached form pyrrolidino or

piperidino rings; and

wherein R<sub>5</sub> is selected from the group consisting of methyl, ethyl, C<sub>1-10</sub> alkyl (linear or branched), alkenes (linear or branched), alkynes, n-propyl, i-propyl, n-butyl, i-butyl, substituted and unsubstituted aryl moieties and substituted and unsubstituted benzyl moieties.

19. (Original) The method according to claim 18, further comprising administering a fungicide and/or bactericide.

20. (Original) The method according to claim 18, further comprising administering an insecticide.

21. (Currently Amended) The method according to claim 18, wherein a seed of said plant is immersed into a composition comprising said ~~strain~~ compound before said seed is planted in a growth medium for said plant and said plant is grown.

22. (Currently Amended) The method according to claim 18, wherein said plant comprises plant seedlings or seeds and said plant is planted in a growth medium containing said ~~strain~~ compound.